

DAFTAR PUSTAKA

- Akpan, U., & Kovo, A. (2005). The production of ethanol from maize cobs and groundnut shells. *AU J. Technol, Vol. 9, pp*, 106-110.
- Aksit, A. (2012). Molecular Characterization Of Ethanol Resistance In *Saccharomyces Cerevisiae*. *Istanbul Technical University, Thesis*, 1-79.
- Andika, G. (2010). Pemanfaatan Limbah Kulit Nanas Untuk Pembuatan Bioetanol Dengan Proses Fermentasi. *Prosiding Seminar Nasional Aplikasi Sains & Teknologi Periode II*, 207-212.
- Arif, A., Diyono, W., & Budiyanto, A. (2016). Factorial Design with Three Factors for Optimization of Bioethanol Production from Sugar Cane Molasses. *Informatika Pertanian* , Vol.25 No.1 Hal 145-154.
- Arimba., G., & dkk. (2019). Pemurnian Bioetanol Limbah Kulit Nanas Menggunakan Alat Destilasi Sederhana Model Kolom Refluks. *Jurnal Zarah*, Vol.7 No.1 Hal 22-28.
- Arimbi., G., & dkk. (2019). Pemurnian Bioetanol Limbah Kulit Nanas Menggunakan Alat Destilasi Sederhana Model Kolom Refluks. *Jurnal Zarah*, Vol.7 No.1 Hal 22-28.
- Azizah, N., AL-Baarri, A., & Mulyani, S. (2012). Pengaruh Lama Fementasi Terhadap Kadar Alkohol,pH,dan Produksi Gas Pada Proses Fermentasi Bioetanol Dari Whey Dengan Subsitusi Kulit Nanas. *Jurnal Aplikasi Teknologi Pangan*, Vol.1 No.2 Hal 72-77.
- Badan Pusat Statistik. (2016).
- Babu, P Ramesh, M Mastan, dan K Charan. 2019. “Optimization of Ethanol Production from Pineapple Peel by *Saccharomyces cerevisiae*.” *International Journal of Advanced Scientific Research and Management*, ISSN 2455-6378 4(5).
- Boonwong, Thirawan, Sujinna Karnnasuta, dan Teerapatr Srinorakutara. 2014. “Agricultural Wastes Potential (Pineapple Crown , Durian Peel and Sugarcane Leaves) on Reducing Sugar Production by Using Sulfuric Acid Pretreatment Following Enzymatic Hydrolysis .” *resjournal* (3):

361–70.

- Bries, A. (2008). The Extraction of Bioethanol from Pineapple Peelings Through Simultaneous Saccharification and Fermentation Using the Yeast *Saccharomyces*. *Republic of the Philippines Cumhyriyet Filipinler*.
- Brown, G. (1987). *Unit Operations*. New York: John Wiley and Sons Inc.
- Casabar, Jennifer T., Rameshprabu Ramaraj, Sawitree Tipnee, dan Yuwalee Unpaprom. 2020. “Enhancement of hydrolysis with *Trichoderma harzianum* for bioethanol production of sonicated pineapple fruit peel.” *Fuel* 279(May): 118437.
- Casabar, Jennifer T., Yuwalee Unpaprom, dan Rameshprabu Ramaraj. 2019. “Fermentation of pineapple fruit peel wastes for bioethanol production.” *Biomass Conversion and Biorefinery* 9(4): 761–65.
- Casabar, Jennifer T, Rameshprabu Ramaraj, dan Yuwalee Unpaprom. 2019. “Optimization of Bioethanol Production from Pineapple Fruit Peel via Response Surface Methodology Optimization of Bioethanol Production from Pineapple Fruit Peel via Response Surface Methodology.” (October).
- Cece R, Chairul, Yelmida. 2020. “Pengaruh Variasi pH dan Waktu pada Pembuatan Bioetanol dari Sari Kulit Nanas dengan Menggunakan Zymomonas Mobilis.”
- Cheng.J.J, & Timilsina.G.R. (2011). Status and Barriers Of Advanced Biofuel Technologies. *A riview Renewable Energy*, Vol.36 pp 3541-3549.
- Chererm Ruangviriyachai. 2014. “Simple and enhanced production of lignesellulosic ethanol by hydrolysis process of pineapple peel (*Ananas comosus*) waste.” *African Journal of Agricultural Research* 6(30): 6348–53. <http://www.academicjournals.org/journal/AJAR/article-abstract/375F3A640396>.
- Choonut, Aophat, Makorn Saejong, dan Kanokphorn Sangkharak. 2014. “The Production of Ethanol and Hydrogen from Pineapple Peel by *Saccharomyces cerevisiae* and *Enterobacter aerogenes*.” *Energy Procedia* 52: 242–49.
- Custome Labolatories. 2019. “Determination of Ethanol in Alcoholic Products by

- GC-FID.” *ILIAde 143:2019 / CLEN Method Determination* (November).
- Dahunsi, S. O. 2019. “Liquefaction of pineapple peel: Pretreatment and process optimization.” *Energy* 185: 1017–31.
- Elevri, P., & Putra, S. (2006). Produksi Etanol Menggunakan *Saccharomyces cerevisiae* yang Diamobilisasi dengan Agar Batang. *Akta Kimia Indonesia, Vol 1, No.2 pp*, 105-114.
- Energi dan Sumber Daya Mineral (2016).
- Fasenden, R., & Fasenden, J. (1982). *Kimia Organik, edisi ketiga*. Jakarta: Erlangga.
- Fauziah., N., & dkk. (2020). Perbandingan Metode Produksi Bioetanol dari Kulit Buah Nanas(Ananas Comosus .L). *Prosiding Farmasi*, Vol 6 No.2 Hal 608-614.
- Febriani, Nur Indah, Ali Ridlo, dan A B Susanto. 2014. “Potensi Yeast dalam Fermentasi Alginofit *Sargassum polycystum* C.A Agardh dengan Hidrolisis Asam Sulfat untuk Pembuatan Biortanol.” *Diponegoro Journal of Marine Research* 3(2): 91–98.
- Fitria, Novi, dan Eva Lindasari. 2020. “Optimasi Perolehan Bioetanol dari Kulit Nanas (Ananas cosmosus) dengan Penambahan Urea, Variasi Konsentrasi Inokulasi Starter dan Waktu Fermentasi.” *Jurnal Reka Lingkungan* 9(1): 1–10.
- Fitriani. (2018). Kandungan Selulosa, Hemiselulosa dan Lignin Pakan Komplit Berbasis Tongkol Jagung yang Disubsitusi Azolla Pinnata Pada Level yang Berbeda. *Jurnal Galung Tropika*, Vol.7 No.3 Hal 220-228.
- Fuadi, A., Harisma, K., & Setiawan, A. (2015). Pengaruh Suhu dan pH Terhadap Banyaknya Yield (Kadar Glukosa) yang Dihasilkan Pada Proses Hidrolisis Enzimatis Dari Limbah Kertas. *Simposium Nasional RAPI XIV FT UMS*, 179-185.
- Girisuta.B, Janssen.L, & Herres.H.J. (2007). Kinetic Study On The Acid-Catalyzed Hydrolysis Of Cellulose to Levulinic Acid. *Industrial & Engineering Chemistry Research* , Vol.46 pp 1696-1708.
- Gladysko, Yulia. 2011. “Extraction of Hemicelluloses By Acid Catalyzed Hydrolysis.” *Thesis*.

- Grethein.H.E. (1984). Preatreatment For Enhanced Hydrolysis Of Cellulose Biomass. *Biotechnology Advances* , Vol.2 pp43-62.
- Hambali, E., Mujdalifah, S., Halomoan, A., Tambunan, Pattiwiri, A. W., & Hendroko, R. (2008). *Teknologi Bioenergi*. Bogor: ArgoMedia.
- Handayani, S., & dkk. (2016). Fermentasi Glukosa Hasil Hidrolisis Buah Kumbi Untuk Bahan Baku BioetanolJ. *J.Pijar MIPA*, Vol.X1 No.1 Hal 28-33.
- Harahap, F., Hasanah, A., Insani, H., Khoiria, N., Pinem, M. D., Edi, S., & Sipahutar, H. (2019). *KULTUR JARINGAN NANAS*. Surabaya: MSC.
- Hasnelly, Sumartini, dan Dewi MM. 1997. "Mempelajari Pengaruh Penambahan Konsentrasi Sacharomyces Cereviseae dan Amonium Phosphat pada Pembuatan Nata Kulit Nenas."
- Harti, A. (2015). *Mikrobiologi Kesehatan:Peran Mikrobiologi Dalam Bidang Kesehatan*. Yogyakarta: Penerbit Andi.
- Biotechnology for Biofuels* 4(October).
- Hemalatha, R., & S. Anbuselvi. (2013). Physicochemical constituents of pineapple pulp and waste. *Journal of Chemical and Pharmaceutical Research*.
- Hidayat, N., & Meitiniati, I. (2018). *Mikrobiologi Industri Pertanian*. Malang: Universitas Brawijaya Press.
- Hilma, Rahmiwati, Unggul Akbar, Program Studi Kimia, dan Fakultas Mipa. 2017. "Optimum Condition of Bioetanol Production Via Acidic Hyddrolysis from Pineapple (Ananas comosus Merr .) Peel Waste in Kualu Vilage-Kampar." 7(2).
- Hu, Jinguang, Valdeir Arantes, dan Jack N. Saddler. 2011. "The enhancement of enzymatic hydrolysis of lignocellulosic substrates by the addition of accessory enzymes such as xylanase:
- Itelima, J et al. 2013. "Bio-Ethanol Production from Banana , Plantain and Pineapple Peels by Simultaneous Saccharification and Fermentation Process." *International Journal of Environmental Science and Development* 4(2): 213–16.
- Jahid, Mohammad, Akanksha Gupta, dan Durlubh Kumar Sharma. 2018. "Production of Bioethanol from Fruit Wastes (Banana, Papaya, Pineapple and Mango Peels) Under Milder Conditions." *Journal of Bioprocessing*

- & Biotechniques 08(03).
- Judoamidjojo, M., & Abdul, A. (1992). *Teknologi Fermentasi*. Jakarta: Rajawali Press.
- Khandaker, Mohammad Moneruzzaman et al. 1989. "Bio-Ethanol Production from Fruit and Vegetable Waste by Using *Saccharomyces cerevisiae*." *InTechOpen* 32(tourism): 137–44.
- Kumar Kk, Gireesh, dan Priya Senan V. 2020. "Bioethanol production from local fruit waste and its optimization." *Indian Journal of Experimental Biology* 58: 879–82.
- Kunz, T. et al. 2011. "Glucose - A reducing sugar? Reducing properties of sugars in beverages and food." *BrewingScience* 64(7–8): 61–67.
- Mahboubi, A., Cayli, B., & Bulkhan, G. (2018). Removal of Bacterial Contamination from Bioethanol Fermentation System Using Membran Bioreactor. *Fermentation*, Vol.4 No.4 Hal 88.
- Mandari, Sally, Elvi Yenie, dan Sri Rezeki Muria. 1980. "Sacharification, Pembuatan Bioetanol dari Kulit Nanas (ananas comosus l.) Menggunakan Enzim Selulase dan Yeast *Saccharomyces Cerevisiae* dengan Proses Simultaneous Sacharification and Fermentation (SSF)." 16(4): 704.
- Maynard, Rudolph et al. 2015. "Bioethanol Production from Pineapple (Ananas comosus) Peelings using *Saccharomyces cerevisiae* as Fermenting Yeast with Focus on Fermentation pH." *International Journal of Engineering Research & Technology (IJERT)* 4(5): 356–60.
- Matz, S. (1970). *Sereal Technology*. The Avi Publishing.
- Nasrun, Nasrun, Jalaluddin Jalaluddin, dan Mahfuddhah Mahfuddhah. 2017. "Pengaruh Jumlah Ragi dan Waktu Fermentasi terhadap Kadar Bioetanol yang Dihasilkan dari Fermentasi Kulit Pepaya." *Jurnal Teknologi Kimia Unimal* 4(2): 1.
- Niwaswong, Chatchanun, Patiwat Chaiyamate, Peerapong Chotikosaikanon, dan Chererm Ruangviriyachai. 2014. "Simple and enhancd production of lignesellulosic ethanol by hydrolysis process of pineapple peel (Ananas comosus) waste." *African Journal of Agricultural Research* 6(30): 6348–

53.

- Nulhakim, L. et al. 2019. "Pembuatan bioetanol dari Kulit Nanas oleh *Saccharomyces Cerevisiae* Terimobilisasi dalam Butiran Alginat." : 23–24.
- Nurhadianty, V., & Cahyani, C. (2018). *Pengantar Teknologi Fermentasi Skala Industri*. Malang: Universitas Brawijaya Press.
- Octria, Monita, Roni Kiagus Ahmad, dan Atikah. 2017. "Bioetanol Production Optimization From Pineapple Leather Fil-Trates." *Revista internacional de ingeniería y tecnología* 7(4): 5225–28.
- Osvaldo, Z., Putra, P., & Faizal, M. (2012). Pengaruh Konsentrasi Asam dan Waktu Pada Proses Hidrolisis dan Fermentasi Pembuatan Bioetanol Dari Alang - Alang. *Jurnal Teknik Kimia*, Vol.18 No.2 Hal 53-62.
- Pertamina.com. (2019). *Ethanol Dilemma*.
- Pornpunyapat, Jutarut, dan Wilaiwan Chotigeat. 2014. "Bioethanol Production from Pineapple Peel Juice using *Saccharomyces Cerevisiae*." 877: 242–45.
- Pramashinta, A., & Abdullah. (2014). Kinetika Fermentasi Limbah Kulit Nanas dan Produktivitas Etanol. *Metana*, Vol. 10 No.01, 12-17.
- Rahman, Nanik Astuti, dan Harimbi Setyawati. 2012. "Peningkatan Kadar Bioethanol dari kulit Nanas Menggunakan Zeolit Alam Dan Batu Kapur." *berkala Ilmiah Teknik Kimia* 1(1): 13–16.
- Retno, D., & Nuri, W. (2011). Pembuatan Bioetanol dari Kulit Pisang. *Pengembangan Teknologi Kimia Untuk Pengolahan Sumber Daya Alam Indonesia*, 1-7.
- Rijal, M., Rumbaru, A., & Mahulaw, A. (2019). Pengaruh Konsentrasi *Saccharomyces Cerevisiae* Terhadap Produksi Bioetanol Berbahan Dasar Batang Jagung. *Jurnal Biology Science & Education* , Vol.8 No.1 Hal 59-70.
- Rizwan.M, Diah.A.W.M, & Ratman. (2018). Pengaruh Konsentrasi Ragi Tape (*Saccharomyces Cerevisiae*) Terhadap Kadar Bioetanol Pada Proses Fermentasi Biji Alpukat . *J.Akademika Kim*, Vol.7 No.3 Hal 173-178.
- Roe, Joseph. H. 1955. "The determination of sugar in blood and spinal fluid with

- anthrone reagent.” *The Journal of biological chemistry* 212(1): 335–43.
- Rosdee, N. A.S.M. et al. 2020. “Enzymatic hydrolysis of lignocellulosic biomass from pineapple leaves by using endo-1,4-xylanase: Effect of pH, temperature, enzyme loading and reaction time.” *IOP Conference Series: Materials Science and Engineering* 736(2).
- Roukas, Triantafyllos. 1996. “Continuous Ethanol Production from Nonsterilized Carob Pod Extract by Immobilized *Saccharomyces cerevisiae* on Mineral Kissiris Using a Two-Reactor System.” *Journal Applied Biochemistry and Biotechnology* 59: 3.
- Safwan Alikasturi, Amin et al. 2018. “Extraction of Glucose by Using Alkaline Hydrolysis from *Musa Sapientum* Peels, *Ananas Comosus* and *Mangifera Indica* Linn.” *Materials Today: Proceedings* 5(10): 22148–53.
- Saqib, Abdul Aala Najmus, dan Philip John Whitney. 2011. “Differential behaviour of the dinitrosalicylic acid (DNS) reagent towards mono- and di-saccharide sugars.” *Biomass and Bioenergy* 35(11): 4748–50.
- Senam. (2009). Prospek Bioetanol Sebagai Bahan Bakar yang Terbarukan dan Ramah Lingkungan. *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA, Fakultas MIPA, Universitas Negeri Yogyakarta*, 359-366.
- Setyawati, H., & Rahman, N. (2017). Bioetanol dari Kulit Nanas Dengan Variasi Massa *Saccharomyces Cerevisiae* dan Waktu Fermentasi.
- Sharifia, Mahnaz, Keikhosro Karimi, dan Mohammad J. Taherzadeh. 2008. “Production of ethanol by filamentous and yeast-like forms of *Mucor indicus* from fructose, glucose, sucrose, and molasses.” *Journal of Industrial Microbiology and Biotechnology* 35(11): 1253–59.
- Sharma, Durlubh K., dan Prakash N. Sahgal. 1982. “Production of Furfural From Agricultural Wastes By Using Pressurised Water in a Batch Reactor.” *Journal of chemical technology and biotechnology* 32(6): 666–68.
- Sherif, Abdulhay, Ahmed Hussen, dan Dawit Firemichael. 2021. “Biomass and Bioenergy Hydolysis of multi substrate biomass using para - toluenesulphonic acid for bioethanol production: A promising option over the sulfuric acid treatment.” *Biomass and Bioenergy* 144(November

- 2020): 105922.
- Sudiyani, Y., & dkk. (2015). Pengaruh Temperatur dan Waktu Tinggal Pada Perlakuan Awal Bagas Sorgum Dengan Metode Steam Explosion. *Jurnal Teknik Kimia*, No.4 Vol.21 Hal 47-56.
- Suryanto, H. (2016). Review Serat Alam : Komposisi, Struktur, dan Sifat Mekanis. 1-13.
- Susanti, Ari Diana, Puspito Teguh Prakoso, dan Hari Prabawa. 2013. "Pembuatan Bioetanol dari Kulit Nanas melalui Hidrolisis dengan Asam." 12(1): 11–16.
- Susilo, B., & Damayanti, R. (2017). *Teknik Bioenergi*. Malang: Universitas Brawijaya Press.
- Taherzadeh, Mohammad J., dan Keikhosro Karimi. 2007. 2 BioResources *Enzyme-based hydrolysis processes for ethanol from lignocellulosic materials: A review*.
- Taherzadeh, Mohammad J., dan Keikhosro Karimi. 2008. 9 International Journal of Molecular Sciences *Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review*.
- Timell, T.E, C.P.J Glaudemans, dan A.L Currie. 1946. "Spectrophotometric method for determination of hemoglobin." *American journal of clinical pathology* 10(8): 134–37.
- Tuite, M. (1992). Strategies for the genetic manipulation of *Saccharomyces cerevisiae*. *Rev Biotech* 12, 157-188.
- Utomo, P. P. (2011). Pemanfaatan Nanas (*Ananas comosus*) Sebagai bahan Pembuatan Bioethanol dengan Metode Sakarifikasi dan Fermentasi Serentak. *Biopropal Industri*.
- Viles, Frederick J., dan Leslie Silverman. 1949. "Determination of Starch and Cellulose with Anthrone." *Analytical Chemistry* 21(8): 950–53.
- Virginia, Wilson, Denise Koufogiannakis, Linda Slater, dan Ellen Crumley. 2004. "A content analysis of librarianship research." *Journal of Information Science* 30(3): 227–39.

- Wahono, S., & dkk. (2011). Laju Pertumbuhan *Saccharomyces Cerevisiae* Pada Proses Fermentasi Pembentukan Bioetanol Dari Biji Sorgum (*Sorghum Biocolor L.*). *Seminar Rekayasa Kimia dan Proses*, 1-6.
- Wahyuni, S. (2018). *Biogas: Hemat Energi Pengganti Listrik, BBM, dan Gas Rumah Tangga*. Jakarta: AgroMedia.
- Widodo, E. (2019). *Aditif Pakan Unggas Penganti Antibiotik*. Malang: Universitas Brawijaya Press.
- Wignyanto, Suharjono, dan Novita. 2001. "Pengaruh Konsentrasi Gula Reduksi Sari Hati Nanas dan inokulum *Saccharomyces cereviciae* pada Fermentasi Etanol." *Jurnal Teknologi Pertanian* 2(9): 68–77.
- Wijana, S., Kumalaningsih, A., & Setyowati , U. (1991). Optimalisasi Penambahan Tepung Kulit Nanas dan Proses Fermentasi pada Pakan Ternak terhadap Peningkatan Kualitas Nutrisi. *Universitas Brawijaya Malang*.
- Wijaya, S. Kumalaningsih, A. Seyowati, U. Efendi, & N. Hidayat. (1991). *Optimalisasi Penambahan Tepung*. Malang: ARMP (Deptan) Universitas Brawijaya.
- Wusnah, Bahri, S., & D, H. (2016). Pembuatan Bioetanol Dari Kulit Pisang Kepok (*Musa acuminata B.C*) Secara Fermentasi. *Jurnal Teknologi Kimia Unimal*, Vol.5 No.1 Hal 57-65.Arimba, Galih Panji, Jasman, Hasanuddin, dan Syahrul. 2019. "Pemurnian Bioetanol Limbah Kulit Nanas Menggunakan Alat Distilasi Sederhana Model Kolom Refluks." *Jurnal Zarrah* 7(1): 22–28.
- Zhao, Jing, Chunshan Quan, dan Shengdi Fan. 2013. "Role of lignin in bioethanol production from lignocellulosic biomass." *Journal of Biobased Materials and Bioenergy* 7(5): 533–40.