

## DAFTAR PUSTAKA

- Adamson, A.W.. 1990. *Physical Chemistry of Surfaces*. New York: John Wiley & Sons, Inc
- Agustini, L. dan Efiyanti, L. 2015. *Pengaruh Perlakuan Delignifikasi Terhadap Hidrolisis Selulosa dan Produksi Etanol dari Limbah Berlignoselulosa*. Jurnal Penelitian Hasil Hutan Vol.33 No.1 : 69-80. Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi.
- Ahmad Sapta Zuidar et al. 2013. *Kajian Penggunaan Katalisator Asam Sulfat Dan Lama Pemasakan Pada Proses Produksi Pulp Acetosolve Dari Ampas Tebu Dan Bambu Betung*. Jurnal Teknologi Industri dan Hasil Pertanian Volume 18 No.2. 130-131. Jurusan Teknologi Pertanian Fakultas Pertanian Universal Lampung. ISSN:2302-4399
- Ahmad Sapta Zuidar et al. 2014. *Kajian Delignifikasi Pulp Formacell Dari Tandan Kosong Kelapa Sawit Menggunakan Hidrogen Peroksida ( $H_2O_2$ ) Dalam Media Asam Asetat*. Jurnal Teknologi Industri dan Hasil Pertanian Volume 19 No.2. 202-203. Jurusan Teknologi Pertanian Fakultas Pertanian Universal Lampung. ISSN:2302-4399
- Ardianto. 2015. *Sintesa Partikel Ceria Zirconia Dengan Batch Hydrothermal*. Surabaya: Institut Teknologi Sepuluh Noverember
- Arfan, Yopy. 2006. *Pembuatan Karbon Aktif Berbahan Dasar Batubata dengan Perlakuan Aktivasi Terkontrol Serta Uji Kinerjanya*. Depok : Departemen Teknik Kimia, FT-UI
- Arhamsyah. 2010. *Pemanfaatan Biomassa Kayu Sebagai Sumber Energi Terbarukan*. Jurnal Riset Industri Hasil Hutan Vol.2 No.1. Peneliti Baristand Industri Banjarbaru
- Asnani, Ari, dkk. 2015. *Analisis Hasil Delignifikasi Sekam Padi yang Berpotensi Sebagai Bahan Baku Bioetanol*. Prosiding Pengembangan Sumber Daya Pedesaan dan Kearifan Lokal Berkelanjutan III, ISBN 978-979-9204-88-2
- Badwal SPS., Daniel F., Fabio C., Christopher M., Justin K., John D. 2013. *Structural and microstructural stability of ceria – gadolinia electrolyte*

- exposed to reducing environments of high temperature fuel cells.* J. Mater. Chem. A 1. (36): 10768.
- Borenstein, S. W.1994. *Detection, diagnosis and monitoring.* In *Microbiologically Influenced Corrosion Handbook.* New York: Industrial Press, 209.
- Chakar, Fadi S., dan Ragauskas, Arthur J. 2004. *Review Of Current And Future Softwood Kraft Lignin Process Chemistry.* Industrial Crops and Products 20, 131–141
- Chatwal, G. 1985. *Spectroscopy Atomic and Molecule.* Bombay: Himalaya Publishing House
- Chiang, Y., Jakus, K. 1999. *Fundamental needs in ceramics.* NSF workshop report. Massachusetts Institute of Technology. NSF Grant #DMR-9714807
- Chinchamalatpure, Vijay Ramkrishna, dkk. 2012. *Synthesis and Electrical Characterization of ZrO<sub>2</sub> Thin Films on Si(100).* Journal of Modern Physics, 3, 69-73
- Choudhary, Om Prakash. Priyanka. 2017. *Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components.* Intl. Journal of Current Microbiology and Applied Sciences Vol. 6 No.5 pp.1877-1882
- C. Piconi, G. Maccauro. 1998. *Review Zirconia as a ceramic biomaterial.* Italy :Elsevier Science Ltd.
- C. Sun, L. Hong, L. Chen, 2012. *Nanostructured Ceria-Based Materials: Synthesis, Properties, and Applications.* Energy Environ. Sci 5. 8475-8505.
- Dale B. E. and Moreira M. J. A. 1982. *Freeze explosion technique for increasing cellulose hydrolysis.* Biotechnol. Bioeng. Symp. Ser., 12: 31–43.
- Dapia, S., Santos, V dan Parajo, J.C. 2002. *Study of Formic Acid as an Agent for Biomass Fractionation.* Biomass and Energy. 22: 213-221
- Darr, J. A.; Zhang, J.; Makwana, N. M.; Weng, X. Continuous Hydrothermal Synthesis of Inorganic Nanoparticles: Applications and Future Directions. Chem. Rev. 2017, 117(17), 11125–11238
- Devaraju, M.K., dkk. 2009. Solvothermal Synthesis and Characterization of Ceria-Zirconia Mixed Oxides for Catalytic Applications. *Nanotechnology Journal* Vol 20

- Dewan Energi Nasional. 2010. *Media Informasi dan Komunikasi Dewan Energi Nasional Jilid 2*. Jakarta: Dewan Energi Nasional
- Eimer, G, A., Diaz, I., Sastre, E., Casuscelli, G, S., Crivello, M, E., Herrero, E, R., dan Perez-Pariente, J. 2008. *Mesoporous Titanosilicates Synthesized from TS-1 Precursors with Enhanced Catalytic Activity in The  $\alpha$ -Pinene Selective Oxidation*. Applied Catalysis A : General, Vol 343, hal 77-86
- Fadillah, Distantina S, Artati EK, Jumari E. 2008. *Biodelignifikasi batang jagung dengan jamur pelapuk putih Phanerochaete chrysosporium*. Ekuilibrium 7(1):7-11
- Fasihah. N. 2011. *Chemical Composition and Biological Activity of Essential Oil from Cinnamomum spp. And Litsea spp.* Universiti Malaysia Sarawak
- Fatriasari W, Ermawar RA, Falah F, Yanto DHY, Hermiati E. 2009. *Pulping soda panas terbuka bambu Betung dengan praperlakuan fungi pelapuk putih (Pleurotus ostreatus dan Trametes versicolor)*. J Ilmu dan Teknologi Hasil Hutan 2(2):45-50
- F. Charbgoo, M. Bin Ahmad, M. Darroudi. 2017. *Cerium Oxide Nanoparticles: Green Synthesis and Biological Applications*. Int. J. Nanomedicine. 12 : 1401-1413.
- Gates, B.C. 1992. *Catalytic Chemistry*. Singapura: John Wiley and Sons Inc, hal 259-276
- G. Grbić, M. Ćulić, L. Martać, M. Soković, S. Spasić, D. Đoković. 2008. Effect of Champor Essential Oil on Rat Cerebral Cortex Activity as Manifested by Fractal Dimensions Changes. Archives of Biological Sciences. 60 (4), 547-553
- Gin Gin dan Ardianto. 2015. *Sintesa Partikel Campuran Ceria-Zirconia Dengan Batch Hydrothermal Sebagai Bahan Penyimpan Oksigen*. Skripsi Teknik Kimia, Institut Teknologi Sepuluh November
- Gunam, I. B., Ni, M. W., Anak, A.M.D., dan Pande, M. S. 2011. *Delignifikasi Ampas Tebu dengan Larutan Natrium Hidroksida Sebelum Sakarifikasi secara Enzimatis Menggunakan Enzim Selulase Kasar dari Aspergillus Niger FNU 6018*. Teknologi Indonesia LIPI Press, 34 (Edisi Khusus 2011): 24-32

- Hayat, Edy S., dan Andayani, Sri. 2014. *Pengelolaan Limbah Tandan Kosong Kelapa Sawit dan Aplikasi Biomassa Chromolaena odorata Terhadap Pertumbuhan dan Hasil Tanaman Padi Serta Sifat Tanah Sulfaquent*. Journal of Waste Management Technology Vol 17 (2) ASSN 1410-9565
- Haygreen, J. G. dan Bowyer, J. L. 1996. *Hasil Hutan dan Ilmu Kayu*. Terjemahan H.A.Sutjipto. Yogyakarta: Gadjah Mada University Press
- Hidayat, M. R. (2013). *Bahan Lignoselulosa Dalam Proses Produksi Bioetanol*. Biopropal Industri, 4, 33–48
- Indra Suryawan, Pusat Teknologi Akselerator dan Proses Bahan - BATAN, *Pengaruh Tebal Umpang Butiran Bola (NH<sub>4</sub>)<sub>2</sub>UZ0<sub>7</sub>(CzH4O)<sub>z</sub> Dan Waktu Kalsinasi Terhadap Densitas U<sub>3</sub>O<sub>8</sub>*, Prosiding Seminar Nasional Penelitian Dan Pengelolaan Perangkat Nuklir Pusat Teknologi Akselerator don Proses Bahan, Yogyakarta, 28 Agustus 2008
- Irawati D, Azwar NR, Syafii W, Artika IM. 2009. *Pemanfaan serbuk kayu untuk produksi etanol dengan perlakuan pendahuluan delignifikasi menggunakan jamur Phanerochaete chrysosporium*. J Ilmu Kehutanan 3(1):13-22
- Jenkins, R., and Snyder, R. 1996. *Introduction to X-ray powder diffractometry*. New York, NY: Wiley & Sons.
- Kementerian Energi dan Sumber Daya Mineral. 2017. *Handbook of Energy & Economic Statistics of Indonesia*. Jakarta: PUSDATIN ESDM
- Kim, Jeong-Rang, et al. 2012. *Ceria-Zirconia Mixed Oxide Prepared By Continuous Hydrothermal Synthesis in Supercritical Water as Catalyst Support*. Catalysis Today (185), 25-34
- Klammrassamee T, Laosiripojana N, Cronin D, Lalehvash M, Zhang Z, Doherty W.O.S. 2015. Effects of mesostructured silica catalysts on the depolymerization of organosolv lignin fractionated from woody eucalyptus, *Bioresource Technology*
- Kwela, 2006, Alkali Fusion Processes for Recovery of Zirconia and Zirconium From Zircon Sand, University of Pretoria, Afrika Selatan
- Lee, S.H., T.V. Doherty, R.J. Linhardt, J.S. Dordick. 2009. *Ionic Liquid Mediated Selective Extraction of Lignin From Wood Leading to Enhanced Enzymatic*

- Cellulose Hydrolysis.* Biotechnology and Bioengineering Journal, 102(5): 1368–1376
- Lee, V.H., Hamid, S.B.A dan Zain, S.K. 2014. *Conversion of Lignocellulosic Biomass to Nanocellulose : Structure and Chemical Process.* The Scientific World Journal: Hindawi Publishing Corporation
- Machmudah, Siti, et al. 2018. *Synthesis of Ceria Zirconia Oxides using Solvothermal Treatment.* MATEC Web of Conferences 156, 05014
- Machmudah, Siti, et al. 2019. *Hydrothermal And Solvothermal Synthesis Of Cerium-Zirconium Oxides For Catalyst Applications.* International Journal of Technology 10(3): 582-592, ISSN 2086-9614
- Marsh, Harry, dan Fransisco, Rodriguez-Reinoso. 2006. *Activated Carbon.* London: Elsevier
- Montini T, Melchionna M, Monai M, Fornasiero P. 2016. *Fundamentals and Catalytic Applications of CeO<sub>2</sub>-Based Materials.* Chemical Reviews 116. 5987–6041
- M.B. Gawande., A. Goswami., Felpin, T. Asefa., X. Huang, R. Silva, X. Zou, R. Zboril, R.S. Varma. 2016. *Cu and Cu-Based Nanoparticles: Synthesis and Applications in Catalysis,* Chem. Rev. 116 : 3722-3811.
- Nagai, Yasutaka, et al. 2002. *Struture Analysis of CeO<sub>2</sub>-ZrO<sub>2</sub> Mixed Oxides as Oxygen Storage Promoters in Automotive Catalysts.* R&D Review of Toyota CRDL Vol 37 (4)
- Najib, Lailun dan Darsopuspito, Sudjud. 2012. *Karakterisasi Proses Gasifikasi Biomassa Tempurung Kelapa Sistem Downdraft Kontinyu dengan Variasi Perbandingan Udara-Bahan Bakar (AFR) dan Ukuran Biomassa.* Jurnal Teknik ITS Vol 1 No 1 ISSN: 2301-9271
- Newbury, D.E. Ritche N.W.M. 2015. *Performing elemental microanalysis with high accuracy and high precision by scanning electron microscopy/silicon drift detector energy-dispersive X-ray spectrometry (SEM/SDD-EDS).* J Mater Sci . 50:493–518
- Ngafwan. 2006. *Pemanfaatan Limbah Sekam Padi untuk Pembuatan Komposit Hambat Panas Menggunakan Matrik Resin.* Media Mesin. Vol.7 No.1, 17-23.

- Novia, Lubis, A.M. dan Jufianto, F. (2014). *Pengaruh Konsentrasi Dan Waktu Perendaman Ammonia Terhadap Konversi Bioetanol Dari Jerami Dengan Metode Soaking In Aqueous Ammonia (SAA)*. Jurusan Teknik Kimia Universitas Sriwijaya: Inderalaya
- Permatasari, H. R., Gulo, F. & Lesmini, B., 2013. *Pengaruh Konsentrasi  $H_2SO_4$  dan NaOH Terhadap Delignifikasi Serbuk Bambu (Gigantochloa Apus)*. Jurnal Penelitian Kimia, pp. 131 – 140.
- Prabaharana, Devadoss Mangalam Durai Manoharadoss, dkk. 2016. *Structural, Optical, Morphological and Dielectric Properties of Cerium Oxide Nanoparticles*. Material Research 19 (2): 478-482
- K. Reinhardt, H. Winkler, 2000. *Cerium Mischmetal, Cerium Alloys, and Cerium Compounds. Ullmann's Encyclopedia of Industrial Chemistry*, Weinheim: Wiley-VCH, doi:10.1002/14356007.a06\_139
- Rosgaard, L., S. Pedesen, & A.S. Meyer. 2007. *Comparison of Different Pretreatment Strategies for Enzymatic Hydrolysis of Wheat and Barley Straw*. Appl. Biochem. Biotechnol.
- Roskill Information Services Ltd. 2011. *Zirconium: Global Industry Markets and Outlook*. Thirteenth ed. London: Roskill Information Services Ltd.
- Scimeca M. Bischetti S. Lamsira H.K . Bonfiglio R. Bonano E. 2018. *Energy Dispersive X-ray (EDX) microanalysis: A powerful tool in biomedical research and diagnosis*. European Journal of Histochemistry; 62:284. Italy : Licensee PAGE Press.
- S. Gangopadhyay, D.D. Frolov, A.E. Masunov, S. Seal, 2014. *Structure and Properties of Cerium Oxides in Bulk and Nanoparticulate Forms*. J. Alloys Compd. 584 : 199-208.
- Silalahi. 2000. *Penelitian Pembuatan Briket Kayu dari Serbuk Gergajian Kayu*. Bogor: DEPERINDAG
- Simkin. BA, Crimp. MA. 1996. *Dislocation detection depth measurements in silicon using electron channeling contrast In Microscopy and Microanalysis* 7996. Edited by Bailey GW, Corbett JM, Dimlich R, Michael JR, Zaluzec NJ. San Francisco: San Francisco Press Inc :140-l 42.

- Sridach, W. 2010. *The Environmentally Benign Pulping Process Of Nonwood Fibers*. Suranaree J. Sci. Technol 17(2):105-123
- Suyanti, dan Purwani, MV. 2016. *Kalsinasi Konsentrat Serium Menjadi Serium Oksida*. Prosiding Seminar Penelitian dan Pengelolaan Perangkat Nuklir, Surakarta. ISSN 1410-8178
- Sobukawa, Hideo. 2002. *Development of Ceria-Zirconia Solid Solutions and Future Trends*. R&D Review of Toyota CRDL Vol 37 (4)
- Swan, B. 1965. *Isolation of Acid Soluble Lignin From The Klason Lignin Determination*. Svensk Papperstidning 22: 791-795
- Tofanixa, Bogdan Marian, et al. 2011. *Properties of Rapeseed (Brassica napus) Stalks Fibers*. Journal of Natural Fibers, 8:241-262
- Trisanti, Prida Novarita, dkk. 2018. *Ekstraksi Selulosa dari Serbuk Gergaji Kayu Sengon Melalui Proses Delignifikasi Alkali Ultrasonik*. Jurnal Sains Materi Indonesia ISSN: 1411-1098
- Vernon, K.D. Parry. 2000. *Scanning Electron Microscopy : An Introduction*. Vol.13 No.4. UMIST : Centre for Electronic Materials.
- Wan, C. and Y. Li. (2012). Fungal Pretreatment of Lignocellulosic Biomass. *Biotechnol.Adv.*,30(6), 1447- 1457.
- Watanabe. T. 1996. *SEM-ECP analysis of grain-boundary character distribution in oolvercrystalline materials*. In *Microscov and Microanalysis 1'996*. idited by Bailey GW, Corbett Ji, Dimlich R, Michael JR, Zaluzec NJ. San Francisco: San Francisco Press Inc :354-356.
- W. B. Blumenthal. 1958. *The Chemical Behaviour of Zirconium*. New Jersey:D.VanNostrand Company.
- Wibowo, Hary, Toto Rusianto dan Manarul Ikhsan.2008.*Pengaruh Kepadatandan Ketebalan terhadap Sifat Isolator Panas Papan Partikel Sekam Padi*.Jurnal Teknologi, vol. 1, No 2, 107-111
- Widarto, L., dan Suryanta. 1995. *Membuat Bioarang dari Kotoran Lembu*. Yogyakarta: Kanisius
- Widjaja A, Andriyani S, Pratami AA. 2002. *Study of biodelignification on sengon and pine using white rot-fungus Phanerochaetae chrysosporium for*

*development for pulp and paper industries in Indonesia.* Asian Pasific Congress on Chemical Engineering. Christ Church(NZ)

Zhang, M., Qi, W., Liu, R., Wu, S dan He, Z. 2010. *Fractionating Lignocellulose by Formic Acid: Characterization of Major Components.* Biomass and Bioenergy. 34: 525-532

Badan Standarisasi Nasional, SNI 0494-2008 : Cara Uji Bilangan Kappa

