

DAFTAR PUSTAKA

- Asekun, O. T., Grierson, D. S., & Afolayan, A. J. (2007). *Effects of drying methods on the quality and quantity of the essential oil of Mentha longifolia L. subsp. capensis*. Food Chemistry, 101, 995–998.
- Ari, K., Darmapatni, G., Studi, P., Ilmu, M., & Pascasarjana, S. (2016). *Pengembangan Metode GC-MS*. 18(3).
- Arslan M. (2010), *Üzüm çekirdeklerinden enzim destekli sulu ekstraksiyon yöntemi ile yağ eldesi*. Doctoral dissertation, İstanbul Technical University.
- Bajpai, V.K.; Baek, K.-H.; Baek, S.C. (2012). *Control of Salmonella in foods by using essential oils: A review*. Food Res. Int. 45, 722–734.
- Balcioğlu, (2015), *Kabak çekirdeğinden enzimatik sulu ekstraksiyon ile yağ eldesi ve yanıt yüzey yöntemiyle optimizasyonu*. Masters thesis. İstanbul Technical University.
- Bassolé, I. H. N., & Juliani, H. R. (2012). *Essential oils in combination and their antimicrobial properties*. Molecules, 17(4), 3989–4006.
- Brachet, A. et al. (2002). *Focused microwave-assisted extraction of cocaine and benzoylecgonine from coca leaves*. Phytochemical Analysis, 13: 162-169.
- Brehm-Stecher B F and Johnson E A. (2003). *Sensitization of Staphylococcus aureus and Escherichia coli to antibiotics by the sesquiterpenoids nerolidol, farnesol, bisabolol and apritone*. Antimicrobial Agents Chemotherapy 47(10): 3357–3360.
- Buckle, K. A. et al. (1987). *Ilmu Pangan. Penerjemah Hari Purnomo dan Adiono*. Universitas Indonesia Press. Jakarta.
- Cavanagh H. M.A. and J. M. Wilkinson. (2002). *Biological Activities of Lavender Essential Oil*. Phytother. Res 16, 301-308.
- Chen, S. et al. (2014). *Handbook of Chemical and Biological Plant Analytical Methods*. Canada: John Wiley & Sons.
- Ebadi, M. T., Azizi, M., Sefidkon, F., & Ahmadi, N. (2015). *Influence of different drying methods on drying period, essential oil content and composition of Lippia*

- citriodora* Kunth. *Journal of Applied Research on Medicinal and Aromatic Plants*, 2, 182–187.
- Dahlin, N. Joneborg, B. (2005). *Runeson Stress and depression among medical students: a cross-sectional study* *Med. Educ.*, 39 (6) , pp. 594-604
- Daniswara, E., Rohadi, I., Imam, (2017), *Ekstraksi Minyak Akar Wangi dengan Metode Microwave Hydrodistillation dan Soxhlet Extraction*, *Jurnal Teknik Kimia Institut Teknologi Sepuluh November*, vol. 6, no. 2
- Dalimartha, (2000). *Atlas Tumbuhan Obat Indonesia*. Jilid 2. Jakarta: Trubus Agriwidya.
- De Castro M. L., Priego–Capote F. (2010), *Soxhlet extraction: Past and present panacea*, *Journal of Chromatography A*, 1217(16), pp. 2383–2389.
- Delaquis, P.J.; Stanich, K.; Girard, B.; Mazza, G. (2002). *Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils*. *Int. J. Food Microbiol.* 2002, 74, 101–109.
- Destandau, Emilie & Michel, Thomas & Elfakir, Claire. (2013). *Microwave-Assisted Extraction. France : Universite' d'Orle'ans*.
- Erliyanti, N., & Rosyidah, E. (2017). *Pengaruh Daya Microwave terhadap Yield pada Ekstraksi Minyak Atsiri dari Bunga Kamboja (Plumeria Alba) menggunakan Metode Microwave Hydrodistillation*. *Jurnal Rekayasa Mesin*, 8(3), 175–178. <https://doi.org/10.21776/ub.jrm.2017.008.03.8>
- Ebadi, M.T., Azizi, M., Sefidkon, F., & Ahmadi, N. (2015). *Influence of Different Drying Methods on Drying Period, Essential Oil Content and Composition of Lippia citriodora Kunth*. *Journal of Applied Research on Medical and Aromatic Plants*, 2, 182-187.
- Eskilsson, C., and E. Bjōrklund, J. (2000). *Chromatogr. A*, 2000, 902, 227.
- Farhat, A., et al. (2009). “*Eco-friendly and cleaner process for isolation of essential oil using microwave energy: Experimental and theoretical study*”, *Journal of Chromatography A*, 1216(26): 5077-5085.
- F. Al Rasheed, et al. (2017). *Academic stress and prevalence of stress-related self-medication among undergraduate female students of health and non-health*

- cluster colleges of a public sector university in Dammam, Saudi Arabia J. Pharm. BioAllied Sci.*, 9 (4), pp. 251-258
- Farooque, *et al.*, (2012), *Review on Plumeria Acuminata, International Journal on Research in Pharmacy and Chemistry.*
- Geetha, R. V. & Roy, A. (2014). *Essential Oil Repellents- A Short Review.* International Journal of Drug Development and Research, 6(2), 20 – 27.
- Golmakani, M.T. and K. Rezaei, (2008). *Comparison of microwave-assisted hydrodistillation with the traditional hydrodistillation method in the extraction of essential oils from Thymus vulgaris L.* Food Chemistry, 109: 925-930. Harwood.
- Golmakani, M. T., & Rezaei, K. (2008). *Microwave-assisted hydrodistillation of essential oil from Zataria multiflora Boiss.* European Journal of Lipid Science.
- Guenther, E. (1987). *Minyak Atsiri Jilid I.* Jakarta: Universitas Indonesia
- Guenther, E., (1990), *Minyak Atsiri Jilid IV A*, a.b.: Ketaren, R. S., UI Press, Jakarta, hlm 92-130.
- Gunawan, D dan Mulyani S. (2004). *Ilmu Obat Alam.* Penebar Swadaya : Jakarta.
- Hammer, K.A.; Carson, C.F.; Riley, T.V. (1999). Antimicrobial activity of essential oils and other plant extracts. *J. Appl. Microbiol.* 86, 985–990.
- Hanif, M. Shidiq, 2009. *Pola Resistensi Bakteri Dari Kultur Darah terhadap Golongan Penisilin di LMK FK-UI Tahun 2006.* Universitas Indonesia.
- Handayani, W dan Haribowo, A.S (2008). “*Buku Ajar Asuhan Keperawatan pada Klien dengan Gangguan Sistem Hematologi*”. Salemba medika: Jakarta.
- Hossain, Sabrina & Heo, Honghoi & Benthorage, Chamara & Wimalasena, SHMP & Senarath Pathirana, H.N.K. & Heo, Gang-Joon. (2017). *Antibacterial activity of essential oil from lavender (Lavandula angustifolia) against pet turtle-borne pathogenic bacteria.* Laboratory Animal Research. 33. 195.

- Hyldgaard M, Mygind T, Meyer RL. (2012). *Essential oils in food preservation: mode of action, synergies, and interactions with food matrix component*.
- Jeyaratnam, N., Nour, A. H., Kanthasamy, R., Nour, A. H., Yuvaraj, A. R., & Akindoyo, J. O. (2016). *Essential oil from Cinnamomum cassia bark through hydrodistillation and advanced microwave assisted hydrodistillation*. *Industrial Crops and Products*, 92, 57–66.
- Kumari, S., Mazumder, A., Bhattacharya, S., (2012), *In-vitro Antifungal Activity of The Essential Oil of Flowers of Plumeria alba Linn.* (Apocynaceae), *International Journal of PharmTech Research*, 4, 1, 208-212
- Kusuma, H. S., Altway, A., & Mahfud, M. (2018). *Solvent-free microwave extraction of essential oil from dried patchouli (Pogostemon cablin Benth) leaves*. *Journal of Industrial and Engineering Chemistry*, 58(January 2018), 343–348. <https://doi.org/10.1016/j.jiec.2017.09.047>
- Lanoiselle´ J. L., Bouvier J. M., (1994), *Le pressage hydraulique des ole´agineux*, *Mise au point*, *Rev Franc, Corps Gras*, 41(3), pp. 61–72
- Lansida, 2017. *Certificate of Analysis Lavender Essential Oil*. <http://www.minyakatsiri.com>. Diakses tanggal 19 Desember 2019.
- Leong et al., (2006). ‘*Providing Guidelines and Education is Not Enough: An Audit of Gentamicin Use at The Royal Melbourne Hospital*’ *36 Internal Medicine Journal* 37-42.
- Lewicki, P. P., & Pawlak, G. (2003). *Effect of drying on microstructure of plant tissue*. *Drying Technology*, 12(4), 657–683.
- Liu, B., Fu, J., Zhu, Y., & Chen, P. (2018). *Optimization of Microwave-assisted Extraction of Essential Oil from Lavender Using Response Surface Methodology*. 2018.
- Liu, Y., Wang, H., Wei, S., & Yan, Z. (2012). *Chemical Composition and Antimicrobial Activity of the Essential Oils Extracted by Microwave-Assisted Hydrodistillation from the Flowers of Two Plumeria Species*. *Analytical Letters*, 45(16), 2389–2397. <https://doi.org/10.1080/00032719.2012.689905>

- Lucchesi, M.E., F. Chemat and J. Smadja, 2004. *Original solvent free microwave extraction of essential oils from spices*. Flavor and Fragrance Journal., 19: 134138.
- Lucchesi, M., F. Chemat and J. Smajda, (2004). *Solvent-free microwave extraction of essential oil from aromatic herbs: comparison with conventional hydro-distillation*, Journal of Chromatography A, 1043(2): 323-327.
- Mahendera, M., Shah, M., 2014. *Extraction and characterization of essential oil of sweet lime (citrus limetta risso) peel using microwave-assisted hydrodistillation*. Research Journal of Chemical Science, 4(11), 51-55.
- Makvandi S, Mirteimoori M, Mirzaiinajmadi KM, Sadeghi R, (2016). *A review of randomized clinical trials on the effect of aromatherapy with lavender on labor pain relief*. Nurse Care Open Acces J. 2016;1(3):1–6
- Mangun, H. M. (2008). Nilam. Jakarta: Penebar Swadaya.
- Metaxas, A.C. 1996. *Foundations of Electroheat: A Unified Approach*. New York: Wiley.
- Minami, M., Kita, M., Nakaya, T., Yamamoto, T., Kuriyama, H., & Imanishi, J. (2003). *The inhibitory effect of essential oils on herpes simplex virus type-1 replication in vitro*. Microbiology and Immunology, 47(9), 681–684.
- Moon T, Cavanagh HMA & Wilkinson JM, 2004. *Lavender as an antibacterial essential oil - are all lavenders equal*. AICA National Conference, abstracts p46.
- Moradalizadeh, M., Samadi, N., & Rajaei, P. (2013). *Comparison of Hydrodistillation, Microwave Hydrodistillation and Solvent Free Microwave Methods in analysis of the essential oils from aerial parts of Haplophyllum robustum Bge. By GC/MS method*. International Journal of Advanced Biological and Biomedical Research, 1(9), 1058–1067.
- Mirjalili, M.H., Salehi, P., Vala, M.M., & Ghorbanpour, M. (2019). *The effect of drying methods on yield and chemical constituents of the essential oil in Lavandula angustifolia Mill. (Lamiaceae)*. Journal of Plant Physiology Reports, 24, 96-103

- Novita, W. (2016). *Uji Aktivitas Antibakteri Fraksi Daun Sirih (Piper Betle L) Terhadap Pertumbuhan Bakteri Streptococcus Mutans Secara in Vitro*. *Jmj*, 4(2), 140–155.
- Nugraheni, S.N., L.U. Khasanah, R. Utami, B.K. Ananditho. (2016). *Pengaruh Perlakuan Pendahuluan dan Variasi Metode Destilasi Terhadap Karakteristik Mutu Minyak Atsiri Daun Kayu Manis (C. burmanii)*. *Jurnal Teknologi Hasil Pertanian*. Vol 9. (2): 51-59.
- Parry J., Hao Z., Luther M., Su L., Zhou K., Yu L. 2006. *Characterization of coldpressed onion, parsley, cardamom, mullein, roasted pumpkin, and milk thistle seed oils*, *Journal of the American oil chemists' society*, 83(10), pp. 847–854.
- Pirbalouti, A.G., Mahdad, E., Craker, L., 2013, *Effects of Drying Method on Qualitative and Quantitative Properties of Essential Oil of Two Basil Landraces*. *Food Chemistry*, 5, 98.
- Prusinowska, R., and Smigielski, K.R., 2014. *Composition, biological properties and therapeutic effects of lavender (Lavandula angustifolia L.)*. A review. *Kerva Polonica*, Vol. 60.
- Rosa, R., Ferrari, E., & Veronesi, P., (2018). *From Field to Shelf: How Microwave-Assisted Extraction Techniques Foster an Integrated Green Approach*.
- Singh J., Bargale P. C. (2000), *Development of a small capacity double stage compression cold press for oil expression*, *Journal of Food Engineering*, 43(2), pp. 75–82. 3.
- Smigielski, K., Prusinowska, R., Raj, A., Sikora, M., Wolińska, K., & Gruska, R. (2011). Effect of drying on the composition of essential oil from *lavandula angustifolia*. *Journal of Essential Oil-Bearing Plants*, 14(5), 532–542. <https://doi.org/10.1080/0972060X.2011.10643970>
- Soković, M., Glamočlija, J., Marin, P. D., Brkić, D., & Van Griensven, L. J. L. D. (2010). *Antibacterial effects of the essential oils of commonly consumed*

- medicinal herbs using an in vitro model. Molecules, 15(11), 7532–7546.*
<https://doi.org/10.3390/molecules15117532>
- Soskic, M., Bojovicb, D., and Tadicc, V., (2016). *Comparative Chemical Analysis of Essential Oils from Lavender of Different Geographic Origins*. Serbia: Studia UBB Chemia, p. 127-136.
- Sriasih, N., Hadi, M. C., Suindri, N. N., Surati, G. A., & Mahayati, N. (2019). *The Effect of Massage Therapy Using Frangipani Aromatherapy Oil to Reduce the Childbirth Pain Intensity*. *International journal of therapeutic massage & bodywork*, 12(2), 18–24
- Syahputra, M.E., Parasandi, D., 2017, *Ekstraksi Minyak Atsiri dari Daun Nilam Dengan Menggunakan Metode Microwave Assisted Hydrodistillation dan Solvent-Free Microwave Extraction*, Skripsi, Teknik Kimia FTI, Institut Teknologi Sepuluh November, Surabaya.
- Syakira, M. H., & Brenda, L. (2010). Antibacterial Capacity of Plumeria alba Petals. *International Journal of Pharmacological and Pharmaceutical Sciences*, 4(8), 379–382. <https://doi.org/10.5281/zenodo.1062383>
- Tatke, P., & Rajan, M. (2014). *Comparison of conventional and novel extraction techniques for the extraction of scopoletin from Convolvulus pluricaulis*. *Indian Journal of Pharmaceutical Education and Research*, 48(1), 27–31. <https://doi.org/10.5530/ijper.48.1.5>
- Taylor, P., Mohammadhosseini, M., & Nekoei, M. (2014). *Journal of Essential Oil Bearing Plants Chemical Compositions of the Essential Oils and Volatile Compounds from the Aerial Parts of Ferula ovina Using Hydrodistillation , MAHD , SFME and HS- SPME Methods. December, 37–41.*
<https://doi.org/10.1080/0972060X.2014.884951>
- Tran, T. H., Nguyen, D. C., Nhan, T., Phu, N., Ho, V. T. T., Viet, D., Vo, N., Bach, L. G., & Nguyen, T. D. (2019). *Research on Lemongrass Oil Extraction Technology (Hydrodistillation, . 19(4), 1000–1007.*

- United States Department of Agricultural, (2012). *Lavandula officinalis* Chaix, *Natural Resource Conservation Service*.
- Usachev, E. V., Pyankov, O. V., Usacheva, O. V., & Agranovski, I. E. (2013). *Antiviral activity of tea tree and eucalyptus oil aerosol and vapour*. *Journal of Aerosol Science*, 59, 22–30. <https://doi.org/10.1016/j.jaerosci.2013.01.004>
- Vesna, Nađalin & Žika, Lepojević & Mihailo, Ristić & Vlado, Jelena & Nikolovski, Branislava & Adamović, Dušan. 2014. *Investigation of cultivated lavender (Lavandula officinalis L.) extraction and its extracts*. *Chemical Industry and Chemical Engineering Quarterly*. 20. 71-86.
- Wang, L. and Weller, C.L. (2006). *Recent Advances in Extraction of Nutraceuticals from Plants*. *Trends in Food Science and Technology*, 17, 300-312.
- WHO, 2007. *Monograph on Selected Medicinal Plants*, Volume 3. Geneva: World Health Organization press.
- Widiastuti.(2012). *Sukses Agribisnis Minyak Atsiri*. Pustaka Baru Pers, Yogyakarta.
- Yousif, A. N., Scaman, C. H., Durance, T. D., & Girard, B. (1999). *Flavor volatiles and physical properties of vacuum-microwave and air-dried sweet basil (Ocimum basilicum L.)*. *Journal of Agriculture and Food Chemistry*, 47, 4777–4781.
- Zaheer., (2010). *Antimicrobial Activity Of Essential Oil Of Flowers Of Plumeria Alba Linn (Apocynaceae)*. *International Journal Of Pharmacy and Pharmaceutical Sciences*. Vol 2. Issue 4. Pg.155-157.