

DAFTAR PUSTAKA

- Akhadi, Mukhlis, (2009). *Ekologi Energi: Mengenali Dampak Lingkungan dalam Pemanfaatan Sumber-Sumber Energi*. Yogyakarta : Penerbit Graha Ilmu.
- Al-Juaied, Mohammed and Gary T. Rochelle. (2006). *Absorption of CO₂ in Aqueous Diglycolamine*. Department of Chemical Engineering, The University of Texas, Austin, Texas 78712.
- Altway, A. (2008). *Perpindahan massa disertai reaksi kimia*. Jakarta: Bee Marketer Institut.
- Andriani, D. (2014). *A review on optimization production and upgrading biogas through CO₂ removal using various techniques*. *Appl Biochem Biotechnol*, 172(4).pp.1909–1928.
- Anoar Ali Khan, G.N. Halder, A.K.Saha. (2016). *Comparing CO₂ removal characteristics of aqueous solutions of monoethanolamine, 2-amino-2-methyl-1-propanol, methyldiethanolamine and piperazine through absorption process*. International Journal of Greenhouse Gas Control 50 (2016) 179–189. Department of Chemical Engineering, National Institute of Technology Durgapur, India.
- Anoar Ali Khan, G.N. Halder, A.K.Saha. (2016). *Experimental investigation on efficient carbon dioxide capture using piperazine (PZ) activated aqueous methyldiethanolamine (MDEA) solution in a packed column*. International Journal of Greenhouse Gas Control 50 (2016) 179–189. Department of Chemical Engineering, National Institute of Technology Durgapur, India.
- Aresta, Michele. (2003). *Carbon Dioxide Recovery and Utilization*. South America : Kluwer Academic Publisher
- Benamor, A., Al-Marri, M. J., Khraisheh M., Nasser, M. S., Tontiwachwuthikul, P. 2016. “Reaction Kinetics of Carbon Dioxide in Aquous Blends of N-Methyldiethanolamine and Glycine Using The Stopped Flow Technique”. *Journal of Natural Gas Science and Engineering*, 33 (2016) 186-195.

Benamor, A., Brahim, A dan Aroua, M.K. (2008). *Kinetic of CO₂ absorption and carbamate formation in aqueous solutions of Monoethanolamine* Korean Journal of Chemical Engineering. 25(3),451-460.

Bin Xu., Gao, Hongxia., Luo, Xiao., Huiying Liao, (2016). *Mass transfer performance of CO₂ absorption into aqueous DEEA in packed columns.* International Journal of Greenhouse Gas Control 51 May 2016 : 11-17, Hunan University.

Bishnoi, S., G.T. Rochelle.(2000). *Absorption of Carbon Dioxide into Aqueous Piperazine : Reaction Kinetics, Mass Transfer and Solubility.* Chem. Eng. Science 55. 5531-5543.

Bishnupada Mandal and Shyamalendu S. Bandyopadhyay. (2006). Simultaneous Absorption of CO₂ and H₂S into Aqueous Blends of N-MethylMonoethanolamine and Monoethanolamine. Environ. Sci. Technol. 40, 6076-6084.

Bolhàr-Nordenkampf, M., Friedl, A., Koss, U., Tork, T. (2004) Modelling selective H₂S absorption and desorption in an aqueous MDEA-solution using a ratebased non-equilibrium approach, Chemical Engineering and Processing, 43, 701 – 715.

Boot-Handford, M. E. dkk. (2014). *Carbon capture and storage update.* Energy Environ. Sci. 7(1), 130–189.

Budzianowski, Wojciech M. (2017). *Energy Efficient Solvent for CO₂ Capture by Gas Liquid Absorption.Compounds, Blends and Advanced Solvent System.* Switzerland : Springer International Publishing.

Cullinane, J. Tim, G.T.Rochelle.(2004).*Carbon dioxide Absorption with Aqueous Potassium Carbonate Promoted by Piperazine.* Chemical Engineering Science 59. 3619-3630.

Dang, H. dan Rochelle, G.T.(2001). *Absorption Rate and Solubility in \|Monoethanolamine/Piperazine/Water.* Departement of Chemical Engineering.The University of Texas at Austin.

- Devries, N. P. (2014). *CO₂ Absorption into Concentrated Carbonate Solutions with Promoters at Elevated Temperatures*. Urbana : University of Illinois at Urbana-Champaign.
- Dey, A., Aroonwilas, A., (2009). *CO₂ Absorption into MEA-AMP blend: mass transfer and absorber height index*. Energy Procedia 1, 211–215.
- E. Ross, (2009). *Carbon Dioxide Absorption, Desorption, and Diffusion in Aqueous Piperazine and Monoethanolamine*, University of Texas, Austin, Tex, USA.
- Feron, P. (2016). *Absorption-Based Post-Combustion Capture of Carbon Dioxide*. Duxford: Woodhead Publishing.
- Fu, Kaiyun dkk. (2012). *Investigation of Mass-transfer Performance for CO₂ Absorption into Diethylenetriamine (DETA) in a Randomly Packed Column*. Ind.Eng.Chem.Res. 5, 12058-12064.
- Fu, K., Rongwong, W., Liang, Z., Na, Y., Idem, R., Tontiwachwuthikul, P., (2015). *Experimental analyses of mass transfer and heat transfer of post-combustion CO₂ absorption using hybrid solvent MEA-MeOH in an absorber*. Chem. Eng. J.260, 11–19.
- Gorak, A., and Kenig, E.Y., (2005). *Integrated Chemical Processes: Synthesis, Operation, Analysis, and Control*. P. 265-311.
- Halim, Shariff, M.A. Bustam. (2015). *High Pressure CO₂ absorption from natural gas using piperazine promoted 2-amino-2-methyl-1-propanol in a packed absorption column*. Separation and Purification Technology. 152 August (2015) 87-93. Department of Chemical Engineering, Universiti Teknologi PETRONAS.
- Hao Ling, Sen Liu, Tianyu Wang, Hongxia Gao, and Zhiwu Liang. (2019). *Characterization and Correlations of CO₂ Absorption Performance into Aqueous Amine Blended Solution of Monoethanolamine (MEA) and N,N-Dimethylethanolamine (DMEA) in a Packed Column*. Energy and Fuels 2019, 33, 7614–7625. Hunan University : China.
- Hartono, M. (2012). *Meningkatkan Mutu Produk Plastik dengan Metode taguchi*.Jurnal Teknik Industri, 13, 93-100.

Huiying Liao, Hongxia Gao, Bin Xu, Zhiwu Liang. (2017). *Mass Transfer Performance Studies of Aqueous Blended DEEA-MEA Solution Using Orthogonal Array Design in a Packed Column*. Separation and Purification Technology. College of Chemistry and Chemical Engineering, Hunan University.

James R. Welty. (2004). Dasar-dasar Transport Fenomena, Edisi Keempat. Volume 3 (Transfer Massa). Jakarta : Erlangga.

Jenggis, A. P. (2012). *10 Isu global di dunia islam*. Yogyakarta: NFP publisher.

Juliananda. (2017). *Teknik perlakuan limbah gas hasil bakar industri*. Malang: UB Press.

Jose I. Huertas, Martin D. Gomez, Nicolas Giraldo and Jessica Garzon. (2015). *CO₂ Absorbing Capacity of MEA*. Journal of Chemistry. Hindawi Publishing Corporation : Mexico.

J. Ying, D.A. Eimer (2013). *Determination and measurements of mass transfer kinetics of CO₂ in concentrated aqueous monoethanolamine solutions by a stirred cell*, Ind. Eng. Chem. Res. 52 (2013) 2548-2559.

Khan, A.A., Halder, G.N., Saha, A.K., 2015. Carbon dioxide capture characteristics from flue gas using aqueous 2-amino-2-methyl-1-propanol (AMP) and monoethanolamine (MEA) solutions in packed bed absorption and regeneration columns. Int. J. Greenh. Gas Control 32, 15–23.

Khan, F., Krishnamoorthi, V., Mahmud, T. (2011) Modelling reactive absorption of CO₂ in packed columns for postcombustion carbon capture applications, Chemical Engineering Research and Design, 1600 – 1608.

Kartohardjono,S., Anggara, Subihi, & Yuliusman (2007). *Absorpsi CO₂ dari campurannya dengan CH₄ atau N₂ melalui kontraktor membrane serat berongga menggunakan pelarut air*. MAKARA, TEKNOLOGI, Vol.II No.2 November 2007: 97-102.

Kents, James A. (2007). *Kent and Riegel's Handbook of Industrial Chemistry and Biotechnology, Volume 1 Eleventh Edition*. New York : Springer Science and Business Media.

- Kothandarman, dkk. (2009). *Comparison of Solvent for post-combustion Capture of CO₂ by Chemical Absorption*. Energy Procedia. 1(1), 1372-1380.
- Kusnarjo, dkk. (2008). *Pengaruh Beban Gas Terhadap Penyerapan Gas CO₂ dalam Absorpsi Campuran Udara dan Gas CO₂ Oleh Larutan K₂CO₃ Pada Packed column*. Jurnal Purifikasi, Vol.9, No. 2, Desember 2008: 167-174.
- Kuswandi, Anam, K., dan Laksana, Y.P. (2008). *Solubilitas Gas CO₂ Dalam Larutan Potassium Karbonat*. Jurnal Teknik Kimia 3 no.1, UPN "Veteran" Jawa Timur.
- Lerche, B. M. (2012). “*CO₂ Capture from Flue Gas Using Amino Acid Salt Solutions*.”. Technical University of Denmark.
- Leron, B.R., Chung P.Y., Sorinao A.N., dan Hui Li, M. (2009). *Solubility of Carbon Dioxide in the Aqueous Blended Amine System of Triethanolamine and Piperazine*. 16th Asean Regional Symposium on Chemical Engineering, 1ET-EST19, Manila, Philippines.
- Lin, S.H and Shyu, C.T. (1999). “*Performance Characteristics and Modeling of Carbon Dioxide Absorption by Amines in a Packed Column*”. Waste Management, 19, 255-262
- Monde, Junety., Kumala Sari, Prapti Ira, dkk (2019). *Pengaruh Tipe Packing Dalam Absorpsi Reaktif K₂CO₃ Berpromotor DEA Dalam Reaktor Packed column*. Petrogas Volume 1, Nomor 2, Agustus 2019.
- Muchlisiyah, Jhauharotul. (2017). *Kimia Fisik Pangan*. Malang :UB Press.
- Naami, Abdulaziz., Edali, Mohamed., Sema, Teerawat., and Tontiwachwuthikul, Paitoon. (2012). *Mass Transfer Performance of CO₂ Absorption into Aqueous Solutions of 4-Diethylamino-2-butanol, Monoethanolamine, and N-Methyldiethanolamine*. Industrial and Engineering Chemistry Research 51 April (2012), 6470-6479. Faculty of Engineering, University of Regina, Regina, Saskatchewan, Canada.

- Navaza, J.M., Diaz, D. G., Rubia, M. D. 2009. "Removal Process of CO₂ Using MDEA Aqueous Solutions in A Bubble Column Reactor". *Chemical Engineering Journal*, 146, 184-188.
- Pacheco, M.A., Kaganoi, S., Rochelle, G.T. (2000). *CO₂ absorption into aqueous mixtures of diglycolamine and methylMonoethanolamine*. *Chemical Engineering Science*, 55, 5125-5140
- Park, S. (2014). *Screening test for aqueous solvents used in CO₂ capture: K₂CO₃ used with twelve different rate promoters*. *Korean Journal of Chemical Engineering*.31(1). 125–131.
- Pudjiastuti, L. et al. (2015). "Kinetic Study of Carbon Dioxide Absorption into Glycine Promoted Diethanolamine (DEA)". American Institute of Physics.
- Q. He, M. Chen, L. Meng, K. Liu, and W. P. Ping, (2004). *Study on Carbon Dioxide removal from Flue Gas by Absorption of Aqueous Ammonia*, Institute for Combustion Science and Environmental Technology.
- Rinprasertmeechai. S, Sumaeth C, Pramoch R, and Santi K.(2012). "Carbon Dioxide Removal From Flue Gas Using Amine-Based Hybrid Solvent Absorption". *International Journal of Chemical and Biological Engineering* 6.
- Rochelle, G.T. (2009). *Amine scrubbing for CO₂ capture*. *Science*, 325, 1652–1654.
- Rubin, E. (2002). *A technical, economic, and environmental assessment of amine-based CO₂ capture technology for power plant greenhouse gas control (Technical Progress Report)*. West Virginia: National Energy Technology Laboratory.
- Sang-Jun Han and Jung-Ho Wee. (2017). *Estimation of CO₂ Absorption Capacity via Correlating Measured Electrical Conductivity in a Diethanolamine Solvent System Compared to Monoethanolamine Solvent System*. *Journal of Chemical and Engineering Data*. Department of Environmental Engineering, The Catholic University of Korea.

- Sema, T.; Naami, A; Usubharatana, P.; Wang, X; Gao, R.; Liang, Z.; Idem, R; Tontiwachwuthikul, P. (2013). Mass Transfer of CO₂ absorption in Hybrid MEA-methanol solvents in packed column. Energy Procedia, 37 (0), 883-889.
- Shah, Yatish T. (2016). *Green Chemistry and Chemical Engineering. Energy and Fuel Systems Integration*. New York : CRC Press.
- Shen, S, dkk. (2013). *Kinetic study of carbon dioxide absorption with aqueous potassium carbonate promoted by arginine*. Chemical Engineering Journal. 222, 478–487.
- Sinnott, R. (2005). *Chemical Engineering Design* (Vol. 6). Jordan Hill: Elsevier.
- Tan, L. S., Shariff, A. M., Lau, K. K., & Bustam, M. A. (2012). Factors affecting CO₂absorption efficiency in packed column: A review. Journal of Industrial and Engineering Chemistry, 18(6), 1874–1883.
<http://doi.org/10.1016/j.jiec.2012.05.013>
- Thee, H., Smith, K.H., Silva, da G., Kentish, S.E. (2012). *Carbon dioxide absorption into unpromoted and borate-catalyzed potassium carbonate solutions*. Chemical Engineering Journal, 181-182, 604-701.
- Utgikar, V. P. 2015. Facilitating Active Learning of Concepts in Transport Phenomena: Experiment with a Subliming Solid. Chemical Engineering Education 49(4): 215-220.
- Wang, M. et al., (2010). *Chemical Engineering Research and Design Post-combustion CO₂ capture with chemical absorption : A state-of-the-art review*. ChemicalEngineering Research and Design, 89(9), pp.1609–1624.
Available at: <http://dx.doi.org/10.1016/j.cherd.2010.11.005>.
- Winarno, H., Kuswandi dan Wibawa G. (2008). *Eksperimental dan Estimasi Kesetimbangan Fase Uap-Cair Sistem Larutan Elektrolit CO₂-K₂CO₃-Monoethanolamine-H₂O*. Jurnal Industri 7 no.2, Institut Teknologi Sepuluh Nopember.

Zarzycki, Roman. (2013). *Absorption Fundametals and Applications*. Tokyo : Pergamon Press.

Zhan J., Beibei Wang, Liangliang Zhang, Bao-Chang Sun, Jiwen Fu, Guang-wen Chu, and Haikui Zou. (2020). *Simultaneous Absorption of H₂S and CO₂ into the MDEA + PZ Aqueous Solution in a Rotating Packed Bed*. Industrial and Engineering Chemistry Research. <https://dx.doi.org/10.1021/acs.iecr.9b06437>.

